

S18 1	2	("5867799").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S18 2	0	("2andnotify").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 3	12	"5867799" and notify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 4	0	"5867799.pn." and notify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 5	0	"5867799.pn." and change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 6	0	"5867799.pn." and noti\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 7	0	"5867799.pn." and updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S18 8	0	"5867799.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S18 9	2	("5867799").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S19 0	0	("5867799andupdate").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38

S19 1	0	("10andprofile").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:39
S19 2	2	"5867799".pn. and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:39
S19 3	2	"5867799".pn. and updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:41
S19 4	1	"5867799".pn. and noti\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:41
S19 5	0	"5867799".pn. and notify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:49
S19 6	1	"5867799".pn. and (rank\$ or sort\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S19 7	7801	Robertson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S19 8	538	Robertson.in. and automatically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S19 9	423	Robertson.in. and automatically	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S20 0	29	Robertson.in. and automatically and (first near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:13

S20 1	8615	707/1 or 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:13
S20 2	746	S201 and (reliability or credibility)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:14
S20 3	194	S202 and (rate same (document or data or content))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:14
S20 4	62	S203 and (user\$ with rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:25
S20 5	2	"6516327".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:34
S20 6	2	"6516327".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 15:10
S20 7	2	"5974572".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 15:10
S20 8	4	"6438535".pn. or "6662179".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 10:51
S20 9	2	"6003032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:19
S21 0	2	"6414663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 10:52
S21 1	292	(updat\$ same (user near2 profile\$1)) and (notif\$3 with updat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:20

S21 2	114	(updat\$ same (user near2 profile\$1)) same (notif\$3 with updat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:21
S21 3	61	(updat\$ same (user near2 profile\$1)) same (notif\$3 with updat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:30
S21 4	0	(updat\$ same (viewer near2 profile\$1)) same (notif\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:30
S21 5	103	(updat\$ with profile\$1) same (notif\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:31
S21 6	25	S215 and "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:33
S21 7	155	(notif\$ with update) same shar\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:35
S21 8	3	S217 and (user near2 profile)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:34
S21 9	1	S217 and ((user near2 profiles) same updat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:34
S22 0	79	(notification with update) same shar\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:36
S22 1	20	(client near2 profiles) same updat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:36
S22 2	0	(client near2 profiles) same updat\$ same notification	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:36
S22 3	0	(client near2 profiles) same updat\$ same notify	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:36

S22 4	0	(client near2 profiles) same maintain\$ same notify	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:37
S22 5	0	(client near2 profile) same maintain\$ same notify	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:37
S22 6	26	(client near2 profile) same update	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:37
S22 7	4	S226 and (notification)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:45
S22 8	420	(user near2 profiles) and update and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:45
S22 9	26	(user near2 profiles) and update and notification and (updating with (user near2 profile))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:16
S23 0	528	notifying same update	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:17
S23 1	60	S230 and profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:22
S23 2	644	profiles same user same update\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:22
S23 3	52	profiles same user same update\$ same notif\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:42
S23 4	851	update near3 profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:42
S23 5	203	S234 and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:42

S23 6	49	S234 and (notification with (updat\$ or change\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:59
S23 7	6107	(notification with (updat\$ or change\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:59
S23 8	155	S237 and (user near2 profiles)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 16:39
S23 9	2	"6269369".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:16
S24 0	2	(notifying with (chang\$3 with (user near2 profile)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:17
S24 1	0	(notifying with (modifying with (user near2 profile)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:17
S24 2	0	(notifying with (maintain\$ with (user near2 profile)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:17
S24 3	0	(notifying with (updat\$ with (user near2 profile)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:17
S24 4	357	((update with (user near2 profile)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:18
S24 5	121	((update with (user near2 profile))) and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:33
S24 6	536	vora.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:34
S24 7	9	vora.in. and internet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:38

S24 8	2	"6760720".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:41
S24 9	2	"6269361".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:42
S25 0	1	"6269361".pn. and notify	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:48
S25 1	427	(automatically same notif\$ same update)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:48
S25 2	30	S251 and (user near2 profile)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:00
S25 3	2	"6269369".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:00
S25 4	1	"6269369".pn. and update	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:26
S25 5	3	"6756997".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 12:09
S25 6	1	09/922465	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 12:09
S25 7	1	09/922465 and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 12:09



Web Images Groups News Froogle Local^{New!} more »

updating uncommon interest of user profiles

Search

Advanced Search
Preferences

"of" is a very common word and was not included in your search. [details]

The "AND" operator is unnecessary – we include all search terms by default. [details]

Web Results 1 - 10 of about 17,000 for updating uncommon interest of user profiles and notification updating. (0.29 second)

One to One Interactive | Email Marketing: Opportunity and Risk

... based on the users' preferences and **profiles** as much as possible. ...

Forrester allows their clients to customize a personal research update by topic ...

www.onetooneinteractive.com/advisor_mdonnely4.html - 26k - [Cached](#) - [Similar pages](#)

[PDF] lInntteeggrraattiinng gTTiimmeeCCoonnttrroo llwwiitthhMMiiccrroos s

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... This type of functionality is very **uncommon** in a project-updating ...

TimeControl's **User Profiles** allows the Administrator to determine which menu ...

projectmanagement.ittoolbox.com/.../ /hosteddocs.ittoolbox.com%2FHMS102904.pdf - [Similar pages](#)

Intuit TurboTax User-To-User Support Forums -> Do You Use Linux?

... I'll be keeping my eye out for the update! Thanks! ... Due possibly in part

to "spoofing" which is not **uncommon** with Linux users, we feel now that the ...

support.turbotax.com/forums/ index.php?showtopic=1006&view=getlastpost - 85k - [Cached](#) - [Similar pages](#)

W3C Push Workshop

... variation dealing with end users **profiles**, what is your experience ? ...

How to update the CDF itself by subscribing to a channel, how a provider modify ...

www.w3.org/Architecture/9709_Workshop/Minutes - 38k - [Cached](#) - [Similar pages](#)

Michael Leach - Observations

... update the portal database hierarchy, but this isn't something the **user** should

... **Uncommon** Gateway Interface. BPA Dittmer Building 30 Year Anniversary ...

www.cubiccompass.com/MikeBlog/ default.aspx?date=2005-04-04 - 68k - [Cached](#) - [Similar pages](#)

PRODUCT NEWS

... Customers may expect an email **notification** when a new update is available on

BOSS. ... you may wish to review and update your contact **profile** on BOSS. ...

www.mip.com/emagazine/archive/ printable/printable_3_05.htm - 24k - [Cached](#) - [Similar pages](#)

[PDF] Yaka: Document **Notification** and Delivery Across Heterogeneous ...

File Format: PDF/Adobe Acrobat

... **notification** and delivery. The first **user** wants to closely monitor all activity

related to ... update the status of the documents contained in the in- ...

doi.ieeecomputersociety.org/10.1109/CRIWG.2001.951757 - [Similar pages](#)

[doc] 1

File Format: Microsoft Word 97 - [View as HTML](#)

... The PSP is entitled to view, and in some cases to update this information.

... 2 Prototype: Resource Discovery Service / **User Profiles** ...

www.eurescom.de/~pub-deliverables/ p900-series/p908/TI/Technicalinfo.doc - [Similar pages](#)

Interface Hall of Shame - Stupidity

... Update: We've received word from an individual at AutoDesk that the author of

... The message was generated after Jerry copied his NT **user profile** in ...

homepage.mac.com/bradster/iarchitect/stupid.htm - 37k - [Cached](#) - [Similar pages](#)

[doc] Effective Resource Discovery on the World Wide Web

File Format: Microsoft Word 97 - [View as HTML](#)

... again to the **user**, if USEwebNET detects that an update to them has been made.

... A **user profile** is saved in several files located under the personal ...

www.cs.rochester.edu/~papathan/ papers/1998-webnet98/USEwebNET.doc - [Similar pages](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



updating uncommon interest of us **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google